



**GENERAL SERVICES ADMINISTRATION**  
**FEDERAL SUPPLY SERVICE**

**AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!™, a menu-driven database system. The INTERNET address for GSA Advantage!™ is:  
<http://www.fss.gsa.gov>.

**FEDERAL SUPPLY SCHEDULE 36**  
**OFFICE IMAGING AND DOCUMENT SOLUTIONS**

**FSC Classes**

**Special Item Number 51-506**  
**Services**

**Document Conversion**

**Contract Number: TXMAS-5-36040**

**Period Covered by Contract: November 9, 2006 through November 8, 2011**

**Revised Pricing Effective November 9, 2006**  
**REV 3**

**Docucon Imaging Services, Inc.**

**508 W. Rhapsody**  
**San Antonio, TX 78216**  
**Telephone (210) 731-9867 Facsimile (210) 731-9741**  
**800-899-2072**

**Internet [www.docucon.com](http://www.docucon.com)**

**E-mail [dyoung@docucon.com](mailto:dyoung@docucon.com) or [docucon@docucon.com](mailto:docucon@docucon.com)**

**Business Size: Small Business**

**TABLE OF CONTENTS**

**1A. SERVICES PRICES ..... 3**

**1B. SERVICES DESCRIPTIONS..... 4**

**2. GENERAL SPECIFICATIONS..... 17**

**3. MAXIMUM ORDER..... 17**

**4. MINIMUM ORDER ..... 17**

**5. GEOGRAPHIC COVERAGE ..... 17**

**6. POINTS OF PRODUCTION..... 17**

**7. DISCOUNT FROM LIST PRICES OR STATEMENT OF NET PRICE..... 17**

**8. QUANTITY DISCOUNT ..... 17**

**9. PROMPT PAYMENT TERMS..... 17**

**10. GOVERNMENT COMMERCIAL CREDIT CARD ACCEPTANCE ..... 17**

**11. FOREIGN ITEMS..... 18**

**12. TIME OF DELIVERY ..... 18**

**13. EXPEDIATED DELIVERY..... 18**

**14. URGENT REQUIREMENTS..... 18**

**15. FOB ..... 18**

**16. CONTRACTOR'S ORDERING ADDRESS..... 18**

**17. CONTRACTOR'S PAYMENT ADDRESS..... 18**

**18. WARRANTY PROVISION..... 18**

**19. EXPORT PACKING CHARGE..... 18**

**20. TERMS AND CONDITIONS OF GOVERNMENT CREDIT CARD..... 18**

**21. SERVICE POINT ..... 18**

**22. YEAR 2000 (Y2K) COMPLIANT ..... 19**

**23. DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER..... 19**

**1A. SERVICES PRICES**

| ITEM   | UNIT OF ISSUE | GSA PRICE |
|--|---------------|-----------|
| <b>001 DOC PREP</b>                                  |               |           |
| 001A Doc Prep/Standard                               | Page          | \$0.015   |
| 001B Doc Prep/Enhanced                               | Page          | \$0.043   |
| <b>002 SCANNING/PAPER</b>                            |               |           |
| 002A Scanning/Page/Bitonal/Standard QA               | Image         | \$0.089   |
| 002B Scanning/Page/Bitonal/Enhanced QA               | Image         | \$0.104   |
| 002C Scanning/Page/Bitonal/Oversize                  | Segment       | \$0.193   |
| 002D Scanning/Page/Grayscale                         | Segment       | \$0.375   |
| 002E Scanning/Page/Color                             | Segment       | \$0.647   |
| <b>003 SCANNING/ENGINEER DRAWINGS</b>                |               |           |
| 003A Scanning/Paper/Eng. Drawings 200 dpi            | Segment       | \$0.279   |
| 003B Scanning/Paper/Eng. Drawings/300 dpi            | Segment       | \$0.299   |
| 003C Scanning/Paper/Eng. Drawings/400 dpi            | Segment       | \$0.359   |
| 003D Scanning/Paper/Eng. Drawings/600 dpi            | Segment       | \$0.479   |
| <b>004 SCANNING/MICROFILM and MICROFICHE</b>         |               |           |
| 004A Scanning/Film/Standard 16mm/200 dpi             | Image         | \$0.035   |
| 004B Scanning/Film/Standard 16mm/300 dpi             | Image         | \$0.038   |
| 004C Scanning/Film/Enhanced 16mm/200 dpi             | Image         | \$0.090   |
| 004D Scanning/Film/Enhanced 16mm/300 dpi             | Image         | \$0.095   |
| 004E Scanning/Film/Standard 35mm/200 dpi             | Image         | \$0.051   |
| 004F Scanning/Film/Standard 35mm/300 dpi             | Image         | \$0.057   |
| 004G Scanning/Film/Enhanced 35mm/200 dpi             | Image         | \$0.115   |
| 004H Scanning/Film/Enhanced 35mm/300 dpi             | Image         | \$0.128   |
| 004I Microfiche Handling                             | Fiche         | \$0.260   |
| 004J Scanning/Microfiche/Standard Fiche              | Image         | \$0.082   |
| 004K Scanning/Microfiche/Standard Jacketed Fiche     | Image         | \$0.092   |
| 004L Scanning/Microfiche/Non-Standard Jacketed Fiche | Image         | \$0.162   |
| <b>005 SCANNING/APERTURE CARD</b>                    |               |           |
| 005A Scanning/Aperture Cards/200 dpi                 | Image         | \$0.296   |
| <b>006 INDEXING/PAPER COLLECTIONS</b>                |               |           |
| 006A Indexing/Folders/Book Level I                   | Folder/Bk     | \$0.135   |
| 006B Indexing/Doc Level I                            | Document      | \$0.142   |
| 006C Indexing/Doc Level II                           | Document      | \$0.170   |
| 006D Indexing/Document Type Level I                  | Document      | \$0.014   |
| 006E Indexing/Document Type Level II                 | Document      | \$0.019   |
| 006F Indexing/Document Type Level III                | Document      | \$0.022   |
| 006G Indexing/Enhanced Index & QA                    | Document      | \$0.115   |
| <b>007 INDEXING ENGINEERING DRAWINGS</b>             |               |           |
| 007A Indexing/Drawing/Standard                       | Document      | --        |
| <b>008 INDEXING/IMAGES PRODUCED FROM MICROFILM</b>   |               |           |
| 008A Indexing/Film/Document Level I                  | Document      | \$0.156   |
| 008B Indexing/Film/Document Level II                 | Document      | \$0.190   |
| 008C Indexing/Film/Document Type Level I             | Document      | \$0.016   |

|   |  |           |          |
|---|--|-----------|----------|
| 008D  | Indexing/Film/Document Type Level II           | Document  | \$0.022  |
| 008E  | Indexing/Film/Document Type Level III          | Document  | \$0.025  |
| 008F  | Indexing/Film/Enhanced Index QA                | Document  | \$0.125  |
| <b>009 INDEXING/IMAGES PRODUCED FROM APERTURE CARDS</b> |  |           |          |
| 009A  | Indexing/Aperture Cards/Standard               | Image     | --       |
| 009B  | Indexing/Aperture Cards/Enhanced               | Image     | \$.450   |
| <b>010 MARKUP LANGUAGES</b>                             |  |           |          |
| 010A  | Markup Languages Level-I                       | Page      | \$5.410  |
| 010B  | Markup Languages Level-II                      | Page      | \$6.355  |
| 010C  | Markup Languages Level-III                     | Page      | \$7.310  |
| 010D  | Markup Languages Level-IV                      | Page      | \$8.260  |
| 010E  | Markup Languages Level-V                       | Page      | \$9.250  |
| <b>011 ADDITIONAL INDEXING &amp; KEY STROKING</b>       |  |           |          |
| 011A  | Add'l Index/Key Stroking Level I               | Keystroke | \$0.008  |
| 011B  | Add'l Index/Key Stroking Level II              | Keystroke | \$0.010  |
| 011C  | Add'l Index/Key Stroking Level III             | Keystroke | \$0.015  |
| <b>012 PDF CONVERSION</b>                               |  |           |          |
| 012A  | PDF/Image Only                                 | Page      | \$0.035  |
| 012B  | PDF/Image plus Edited Text                     | Page      | \$2.843  |
| 012C  | PDF/Normal                                     | Page      | \$3.491  |
| 012D  | PDF/Hyperlinking & Bookmarking                 | Link      | \$0.249  |
| <b>013 MEDIA</b>  |  |           |          |
| 013A  | CD-R   | Each      | \$9.227  |
| 013B  | 4mm Tape                                       | Each      | \$13.965 |
| 013C  | 8mm Tape                                       | Each      | \$16.958 |
| 013D  | 5.2 GB WORM                                    | Each      | \$84.788 |
| 013E  | 5.2 GB REW                                     | Each      | \$84.788 |
| 013F  | 2.6 GB WORM                                    | Each      | \$84.788 |
| 013G  | 2.6 GB REW                                     | Each      | \$84.788 |
| 013H  | DVD 2.6 GB S/S                                 | Each      | \$32.918 |
| 013I  | DVD 2.6 GB D/S                                 | Each      | \$47.880 |
| 013J  | DVD-R 3.95 GB                                  | Each      | \$37.905 |
| 013K  | DVD-R 4.7 GB                                   | Each      | \$43.890 |
| <b>014 PROFESSIONAL HOURLY RATES</b>                    |  |           |          |
| 014A  | Clerical                                       | Hour      | \$22.05  |
| 014B  | On-Site Clerical (Clients Facility)            | Hour      | \$29.79  |
| 014C  | Clerical Supervisor                            | Hour      | \$26.04  |
| 014D  | On-Site Clerical Supervisor (Clients Facility) | Hour      | \$35.37  |
| 014E  | Project Supervisor                             | Hour      | \$34.34  |
| 014F  | Project Supervisor (Clients Facility)          | Hour      | \$41.24  |
| 014G  | Project Manager                                | Hour      | \$51.83  |
| 014H  | Project Manager (Clients Facility)             | Hour      | \$62.26  |
| 014I  | Software Engineering                           | Hour      | \$94.95  |

**1B. SERVICES DESCRIPTIONS**

## **001 Document Handling**

### **001A Standard**

Standard pre-conversion document handling includes:

- Removal of paper documents from standard bindings or file folders
- Minimal staple removal (not to exceed the average of one staple for every ten scanned images)
- Post conversion, the documents will be returned to the standard bindings or file folders
- The documents will not be re-stapled

### **001B Enhanced**

Any document preparation required to make the collection ready for scanner processing, over and above the Standard Document Handling. May include such items as:

- Removing documents from non-standard bindings
- Removal of more than minimum staples
- Insertion of separator sheets and/or paper clips to augment re-stapling after conversion
- The handling of post-it notes and/or other non-standard size paper

## **002 Paper Scanning**

### **002A Bitonal Standard QA**

- For pages up to 8.5"x14" in size
- Pages will be scanned at 200/300 dpi
- Blank backsides will be removed
- Images are de-skewed at the page level
- Images are cropped to eliminate excess over scan
- 10% of the images are quality assured

### **002B Bitonal Enhanced QA**

- For pages up to 8.5"x14" in size
- Pages will be scanned at 200/300 dpi
- Blank backsides will be removed
- Images will be de-skewed at the page level
- Images will be cropped to eliminate excess over scan
- Images are rotated to insure proper viewing
- 100% of the images are quality assured

### **002C Bitonal Oversize**

- For pages over 8.5"x14" in size
- Pages will be scanned at 200/300 dpi
- Images will be de-skewed at the page level
- Images will be cropped to eliminate excess over scan

- Images are rotated to insure proper viewing
- 100% of the images are quality assured

**002D Grayscale**

- Pages will be scanned at a resolution not to exceed 300 dpi
- Images will be de-skewed at the page level
- Images will be cropped to eliminate excess over scan
- Images are rotated to insure proper viewing
- 100% of the images are quality assured

**002E Color**

- Pages will be scanned at a resolution not to exceed 300 dpi
- Images will be de-skewed at the page level
- Images will be cropped to eliminate excess over scan
- Images are rotated to insure proper viewing
- 100% of the images are quality assured

**003 Engineering Drawing Scanning**

**003A Engineering Drawing Scanning – 200 dpi**

**003B Engineering Drawing Scanning – 300 dpi**

**003C Engineering Drawing Scanning – 400 dpi**

**003D Engineering Drawing Scanning – 600 dpi**

**The following applies to all of the above Engineering Drawing Scanning Clins:**

- Paper drawings scanned at one of the above dpi
- Drawing sizes C through E
- Images will be de-skewed at the page level
- Images will be cropped to eliminate excess over scan
- 100% of the images are quality assured
- Each drawing will be indexed by Drawing Number, Revision Number and Sheet Number
- The index data will be doubled key entered to ensure an accuracy level of 99% at a minimum
- The fee is on a per segment basis (segment = 8.5x11 or portion thereof)
- For additional indexing from the Title Block refer to Item 011 *Additional Indexing and Key Stroking*

## **004 Microfilm / Microfiche Scanning**

### **004A 16mm - Standard – 200 dpi**

This level of scanning is intended for film that is in good to excellent condition.

- Roll microfilm scanned at 200 dpi
- Film is scanned in a semi-attended mode based on optimal scanner settings
- Images will be cropped to eliminate excess over-scan
- 10% of the images will be quality assured

### **004B 16mm - Standard – 300 dpi**

This level of scanning is intended for film that is in good to excellent condition.

- Roll microfilm scanned at 300 dpi
- Film is scanned in a semi-attended mode based on optimal scanner settings
- Images will be cropped to eliminate excess over-scan
- 10% of the images will be quality assured

### **004C 16mm - Enhanced – 200 dpi**

This level of scanning is required for marginal quality film and/or enhanced image quality control.

- Roll microfilm scanned at 200 dpi
- Frames are scanned interactively and scanner operator views each frame during the scanning process
- Scanner settings are adjusted during scanning to yield the best image
- Images will be cropped to eliminate excess over-scan
- Images will be inspected for proper rotation and rotated as needed
- 100% of the images are quality assured

### **004D 16mm - Enhanced – 300 dpi**

This level of scanning is required for marginal quality film and/or enhanced image quality control.

- Roll microfilm scanned at 300 dpi
- Frames are scanned interactively and scanner operator views each frame during the scanning process
- Scanner settings are adjusted during scanning to yield the best image
- Images will be cropped to eliminate excess over-scan
- Images will be inspected for proper rotation and rotated as needed
- 100% of the images are quality assured

### **004E 35mm - Standard – 200 dpi**

This level of scanning is intended for film that is in good to excellent condition.

- Roll microfilm scanned at 200 dpi
- Film is scanned in a semi-attended mode based on optimal scanner settings
- Images will be cropped to eliminate excess over-scan
- 10% of the images will be quality assured

**004F 35mm - Standard – 300 dpi**

This level of scanning is intended for film that is in good to excellent condition.

- Roll microfilm scanned at 300 dpi
- Film is scanned in a semi-attended mode based on optimal scanner settings
- Images will be cropped to eliminate excess over-scan
- 10% of the images will be quality assured

**004G 35mm - Enhanced – 200 dpi**

This level of scanning is required for marginal quality film and/or enhanced image quality control.

- Roll microfilm scanned at 200 dpi
- Frames are scanned interactively and scanner operator views each frame during the scanning process
- Scanner settings are adjusted during scanning to yield the best image
- Images will be cropped to eliminate excess over-scan
- Images will be inspected for proper rotation and rotated as needed
- 100% of the images are quality assured

**004H 35mm - Enhanced – 300 dpi**

This level of scanning is required for marginal quality film and/or enhanced image quality control.

- Roll microfilm scanned at 300 dpi
- Frames are scanned interactively and scanner operator views each frame during the scanning process
- Scanner settings are adjusted during scanning to yield the best image
- Images will be cropped to eliminate excess over-scan
- Images will be inspected for proper rotation and rotated as needed
- 100% of the images are quality assured

**004I Microfiche Setup and Handling**

- To facilitate automated scanning, each microfiche sheet is pre-scanned to map the exact coordinates of each individual image frame on the sheet.
- Key entry of up to 14 characters of index data from the “eye readable” data located at the top of each microfiche sheet.
- Index Quality Assurance of 99.5% at a minimum as measured at the batch level.

**004J Microfiche Scanning – Standard Fiche**

This level of scanning is intended for microfiche that is in good to excellent condition.

- Microfiche scanned at a resolution up to 300 dpi.
- Microfiche is scanned in an attended mode based on optimal scanner settings.
- 10% of the images will be quality assured.

**004K Microfiche Scanning – Standard Jacketed Fiche**

This level of scanning is intended for jacketed microfiche that is in good to excellent condition.

- Microfiche scanned at a resolution up to 300 dpi.



- Microfiche is scanned in an attended mode based on optimal scanner settings.
- 10% of the images will be quality assured.

**004L Microfiche Scanning – Non-Standard Jacketed Fiche**

This level of scanning is intended for jacketed microfiche that is in good to excellent condition, but exhibits image overlapping due to shifting film clips within the jackets.

- Overlapping film clips within each microfiche jacket will be physically corrected before the scanning process.
- Microfiche scanned at a resolution up to 300 dpi.
- Microfiche is scanned in an attended mode based on optimal scanner settings.
- 10% of the images will be quality assured.

**005 Aperture Card Scanning**

**005A Aperture Card Scanning**

- Cards are scanned at 200 dpi
- Images will be de-skewed at the page level
- Images will be cropped to eliminate excess over scan
- Images will be inspected for proper rotation and rotated as needed
- 100% of the images are quality assured
- Hollerith Data from each card is captured during the scanning process and delivered as the index in a delimited ASCII format

**006 Indexing - From Paper Based Document Collections**

**006A Folder/Book Level - I**

- Three (3) fields or up to 20 characters of alphanumeric data captured from file folder cover or tab
- Data to be captured must be clearly available on the outside of each file folder
- Data capture will be double key entry to ensure accuracy
- Optionally match key entry against customer provided
- The index database is delivered in a delimited ASCII format
- Index Quality Assurance of 99% at a minimum as measured at the batch level

**006B Document Level - I**

- Two (2) fields or up to 12 characters of alphanumeric data captured from individual documents
- Data to be captured must be consistently located on the first page of each document, clearly identifiable and legible
- Key entry is single pass
- The index database is delivered in a delimited ASCII format
- Index Quality Assurance of 95% at a minimum as measured at the batch level

**006C Document Level - II**

- Three (3) fields or up to 20 characters of alphanumeric data captured from individual documents
- Data to be captured must be consistently located on the first page of each document, clearly identifiable and legible
- Key entry is single pass
- The index database is delivered in a delimited ASCII format
- Index Quality Assurance of 95% at a minimum as measured at the batch level

**006D Document Type Level - I**

Add additional intelligence to the image index database by including a Document Type Identifier.

- As part of the indexing process, identify 1-5 unique document types
- Definitive examples of each Document Type supplied by the customer
- Document types must be clearly unique and identifiable by a Title or Form Number
- A Document Type with multiple versions (i.e. revised or re-designed forms) may be considered as multiple Document Types if not clearly similar
- Accuracy level of Document Types is 95% at a minimum as measured at the batch level

**006E Document Type Level - II**

Add additional intelligence to the image index database by including a Document Type Identifier.

- As part of the indexing process, identify 6-10 unique document types
- Definitive examples of each Document Type supplied by the customer
- Document types must be clearly unique and identifiable by a Title or Form Number
- A Document Type with multiple versions (i.e. revised or re-designed forms) may be considered as multiple Document Types if not clearly similar
- Accuracy level of Document Types is 95% at a minimum as measured at the batch level

**006F Document Type Level - III**

Add additional intelligence to the image index database by including a Document Type Identifier.

- As part of the indexing process, identify 11-15 unique document types
- Definitive examples of each Document Type supplied by the customer
- Document types must be clearly unique and identifiable by a Title or Form Number
- A Document Type with multiple versions (i.e. revised or re-designed forms) may be considered as multiple Document Types if not clearly similar
- Accuracy level of Document Types is 95% at a minimum as measured at the batch level

**006G Enhanced Index QA**

Perform additional index quality assurance checks to achieve accuracy level of 99% or better as measured at the batch level.

## **007 Indexing - From Engineering Drawings**

### **007A Standard**

Title Block information to include:

- Revision Number and Sheet Number
- The index database is delivered in a delimited ASCII format
- Index Quality Assurance of 99% at a minimum as measured at the batch level
- This indexing is included in the Engineering Drawing scanning fee
- For additional index fields from the Title Block refer to Item 011 - *Additional Indexing and Key Stroking*

## **008 Indexing - Images Produced From Microfilm**

### **008A Document Level - I**

- Two (2) fields or up to 12 characters of alphanumeric data captured from individual documents
- Data to be captured must be consistently located on the first page of each document, clearly identifiable and legible
- Key entry is single pass
- The index database is delivered in a delimited ASCII format
- Index Quality Assurance of 95% at a minimum as measured at the batch level

### **008B Document Level - II**

- Three (3) fields or up to 25 characters of alphanumeric data captured from individual documents
- Data to be captured must be consistently located on the first page of each document, clearly identifiable and legible
- Key entry is single pass
- The index database is delivered in a delimited ASCII format
- Index Quality Assurance of 95% at a minimum as measured at the batch level

### **008C Document Type Level - I**

Add additional intelligence to the image index database by including a Document Type Identifier.

- As part of the indexing process, identify 1-5 unique document types
- Definitive examples of each Document Type supplied by the customer
- Document types must be clearly unique and identifiable by a Title or Form Number
- A Document Type with multiple versions (i.e. revised or re-designed forms) may be considered as multiple Document Types if not clearly similar
- Accuracy level of Document Types is 95% at a minimum as measured at the batch level

### **008D Document Type Level - II**

Add additional intelligence to the image index database by including a Document Type Identifier.

- As part of the indexing process, identify 6-10 unique document types
- Definitive examples of each Document Type supplied by the customer
- Document types must be clearly unique and identifiable by a Title or Form Number
- A Document Type with multiple versions (i.e. revised or re-designed forms) may be considered as multiple Document Types if not clearly similar
- Accuracy level of Document Types is 95% at a minimum as measured at the batch level

**008E Document Type Level - III**

Add additional intelligence to the image index database by including a Document Type Identifier.

- As part of the indexing process, identify 11-15 unique document types
- Definitive examples of each Document Type supplied by the customer
- Document types must be clearly unique and identifiable by a Title or Form Number
- A Document Type with multiple versions (i.e. revised or re-designed forms) may be considered as multiple Document Types if not clearly similar
- Accuracy level of Document Types is 95% at a minimum as measured at the batch level

**008F Enhance Index QA**

Perform additional index quality assurance checks to achieve accuracy level of 99% or better as measured at the batch level.

## **009 Indexing Images Produced From Aperture Cards**

**009A Standard**

- Hollerith punched data, if present, captured at scan time
- The index database is delivered in a delimited ASCII format
- Included in the scanning fee
- For additional indexing from the converted image, refer to Item 011 – *Additional Indexing and Key Stoking*

**009B Enhanced**

- Each index value generated from punched Hollerith data is compared against it's imaged counterpart to ensure accuracy.
- Incorrect or missing index values will be corrected

## **010 Markup Languages**

Supported output formats: SGML, HTML & XML

**010A Level - I**

The following defines Level-I document characteristics.

- Exhibits uniformly labeled content
- May average no more than 30 tags per page

The following defines Level-I processing assumptions.

- Provide converted data in accordance with a single markup specification
- Paper documents scanned at 300 dpi
- Textual data will be converted to ASCII utilizing OCR technology
- All free standing, standard character text larger than 6 point will be proofed and edited to insure accuracy of 99.8% or greater at the document level
- All tagged data will be quality assured to provide 100% parsing against the provided markup specification
- Intact internal references will be tagged
- Graphic entities will be 100% quality assured, accurately labeled to match their placeholder tag embedded within the converted textual instance, and subsequently delivered along with the converted textual instance

**010B Level - II**

The following defines Level-II document characteristics.

- May exhibit content that is not uniformly labeled (i.e., manufacturer/commercial inserts)
- May average no more than 60 tags per page

The following defines Level-II processing assumptions.

- Provide converted data in accordance with a single markup specification
- Paper documents scanned at 300 dpi
- Textual data will be converted to ASCII utilizing OCR technology
- All free standing, standard character text larger than 6 point will be proofed and edited to insure accuracy of 99.8% or greater at the document level
- All tagged data will be quality assured to provide 100% parsing against the provided markup specification
- Intact internal references will be tagged
- Graphic entities will be 100% quality assured, accurately labeled to match their placeholder tag embedded within the converted textual instance, and subsequently delivered along with the converted textual instance

**010C Level - III**

The following defines Level-III document characteristics.

- May exhibit content that is not uniformly labeled (i.e., manufacturer/commercial inserts)
- May average no more than 90 tags per page

The following defines Level-III processing assumptions.

- Provide converted data in accordance with a single markup specification
- Paper documents scanned at 300 dpi
- Textual data will be converted to ASCII utilizing OCR technology
- All free standing, standard character text larger than 6 point will be proofed and edited to insure accuracy of 99.8% or greater at the document level

- All tagged data will be quality assured to provide 100% parsing against the provided markup specification
- Intact internal references will be tagged
- Graphic entities will be 100% quality assured, accurately labeled to match their placeholder tag embedded within the converted textual instance, and subsequently delivered along with the converted textual instance

**010D Level - IV**

The following defines Level-IV document characteristics.

- May exhibit content that is not uniformly labeled (i.e., manufacturer/commercial inserts)
- May average no more than 120 tags per page

The following defines Level-IV processing assumptions.

- Provide converted data in accordance with a single markup specification
- Paper documents scanned at 300 dpi
- Textual data will be converted to ASCII utilizing OCR technology
- All free standing, standard character text larger than 6 point will be proofed and edited to insure accuracy of 99.8% or greater at the document level
- All tagged data will be quality assured to provide 100% parsing against the provided markup specification
- Intact internal references will be tagged
- Graphic entities will be 100% quality assured, accurately labeled to match their placeholder tag embedded within the converted textual instance, and subsequently delivered along with the converted textual instance

**010E Level - V**

The following defines Level-V document characteristics.

- May exhibit content that is not uniformly labeled (i.e., manufacturer/commercial inserts)
- May average no more than 150 tags per page

The following defines Level-V processing assumptions.

- Provide converted data in accordance with a single markup specification
- Paper documents scanned at 300 dpi
- Textual data will be converted to ASCII utilizing OCR technology
- All free standing, standard character text larger than 6 point will be proofed and edited to insure accuracy of 99.8% or greater at the document level
- All tagged data will be quality assured to provide 100% parsing against the provided markup specification
- Intact internal references will be tagged
- Graphic entities will be 100% quality assured, accurately labeled to match their placeholder tag embedded within the converted textual instance, and subsequently delivered along with the converted textual instance

## **011 Additional Indexing and Key Stroking**

### **011A Level - I**

- Capture additional index values from paper based collections
- Data to be captured must be legible and consistent in nature
- The accuracy level of keystroke data will be 95% at a minimum
- The Fee is on a per keystroke basis

### **011B Level - II**

- Capture additional index values from image based collections
- Data to be captured must be legible and consistent in nature
- The accuracy level of keystroke data will be 95% at a minimum
- The Fee is on a per keystroke basis

### **011C Level - III**

- Enhanced Quality Assurance of keystroke data to achieve an accuracy level of 98.5%
- Accuracy rate is measured at the batch level

## **012 PDF Conversion**

### **012A Image Only**

- Scanned TIFF images are converted to an image only PDF format

### **012B Image Plus Edited Text**

- Paper documents scanned at 300dpi
- Textual data will be converted to ASCII utilizing OCR technology
- All free standing, standard character text larger than 6 point will be proofed and edited to insure accuracy of 99% or greater at the document level
- Graphics will be 100% quality assured and provided as 300dpi raster graphics
- This service is available for paper based collections only

### **012C PDF Normal**

- Paper documents raster scanned at 300dpi
- Textual data will be converted to ASCII utilizing OCR technology
- All free standing, standard character text larger than 6 point will be proofed and edited to insure accuracy of 99% or greater at the document level Graphics will be 100% quality assured and provided as 300dpi raster graphics
- The original fonts and format of the document will be maintained
- This service is available for paper based collections only

### **012D Hyper-Linking and Book-Marking**

- Automated methods will be utilized to create hyperlinks and bookmarks for each entry in the Table of Contents and other Content Reference Pages
- Automated methods will be utilized to create internal references

## **013 Delivery Media**

Converted data will be written to specified media for delivery to the customer. File structure and format will be as specified by the customer. The following media types are available:

**013A CD-R**

**013B 4mm Tape**

**013C 8mm Tape**

**013D 5.2 GB WORM**

**013E 5.2 GB REW**

**013F 2.6 GB WORM**

**013G 2.6 GB REW**

**013H DVD 2.6 GB S/S**

**013I DVD 5.6 GB D/S**

**013J DVD-R 3.95 GB**

**013K DVD-R 4.7 GB**



**2. GENERAL SPECIFICATIONS**

- a. Prices, except aperture card scanning prices, are based on an 8.5" X 11" page size. Prices for oversize pages will be based on the number of whole or partial 8.5" X 11" segments.
- b. All material provided by the customer can be returned with the converted data, if the customer so requests.
- c. Production reports will be provided with each delivery media that describe the data contained on the media.
- d. A backup copy of all delivered data will be maintained by Docucon Imaging Services for a minimum of three months.
- e. The prices shown are for processing of unclassified documents. Docucon Imaging Services does process classified information at its San Antonio facility and classified processing is available at negotiated rates.

**3. MAXIMUM ORDER**

The maximum dollar value of orders to be issued is \$1,000,000.00.

**4. MINIMUM ORDER**

\$2,200.00

**5. GEOGRAPHIC COVERAGE**

The geographic scope of the contract is worldwide

**6. POINTS OF PRODUCTION**

San Antonio, Bexar County, Texas

**7. DISCOUNT FROM LIST PRICES OR STATEMENT OF NET PRICE**

Prices shown herein are NET (discount deducted)

**8. QUANTITY DISCOUNT**

None

**9. PROMPT PAYMENT TERMS**

Net 30 Days

**10. GOVERNMENT COMMERCIAL CREDIT CARD ACCEPTANCE**

Docucon Imaging Services does accept the Government credit card

**11. FOREIGN ITEMS**

N/A

**12. TIME OF DELIVERY**

Delivery date of completed documents will be negotiated with the ordering agency for each delivery

**13. EXPEDIATED DELIVERY**

Items available for expedited delivery are noted in this price list.

**14. URGENT REQUIREMENTS**

Negotiated

**15. FOB**

Destination within the 48 contiguous states, Washington, DC, and inland carrier port of exportation to Alaska, Hawaii and Puerto Rico

**16. CONTRACTOR'S ORDERING ADDRESS**

Docucon Imaging Services, Inc.  
508 W. Rhapsody  
ATTN: GSAORD  
San Antonio, TX 78216

**17. CONTRACTOR'S PAYMENT ADDRESS**

Docucon Imaging Services, Inc.  
508 W. Rhapsody  
ATTN: GSAPAY  
San Antonio, TX 78216

**18. WARRANTY PROVISION**

Data that does not conform to the formatting specifications or minimum accuracy levels as measured at the batch levels, stated herein, may be returned to Docucon Imaging Services within 30 days of delivery for error correction at no charge

**19. EXPORT PACKING CHARGE**

Export packing charges for completed documents will be negotiated with the ordering agency for each delivery, when the order is OCONUS.

**20. TERMS AND CONDITIONS OF GOVERNMENT CREDIT CARD**

Docucon Imaging Services will comply with the terms and conditions

**21. SERVICE POINT**

Docucon Imaging Services, Inc.  
508 W. Rhapsody  
San Antonio, TX 78216

**22. YEAR 2000 (Y2K) COMPLIANT**

**23. DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER**  
12-775-1662